Single-Window Hub





# **Government of India Ministry of Environment, Forest and Climate Change** (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Partner

ENERRGIA SKYI VENTURES LIMITED LIABILITY PARTNERSHIP Sr.No 274/1 & others, skyi songbirds, four season road, village Bhugaon, Taluka- Mulshi, District Pune -412115

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/414775/2023 dated 17 Jan 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type** 

4. Category

7.

8.

5. Project/Activity including Schedule No.

**Location of Project** 

6. Name of Project EC23B038MH191915

SIA/MH/INFRA2/414775/2023

Expansion

В

8(a) Building and Construction projects

Expansion in Environment Proposed Residential & Commercial Project "Skyi Manas Lake", at Gat.No.215 (P), 217 (P), 218, 219, 220, 221, 222, 223, 224 (P), 293, 294 (P) at Village Taluka Mulshi District Pune by M/s. Enerrgia Skyi Ventures LLP

ENERRGIA SKYI VENTURES LIMITED

LIABILITY PARTNERSHIP

**MAHARASHTRA** 

9. **TOR Date** N/A

Name of Company/Organization

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Daradé . I.A.S. Date: 06/06/2023 **Member Secretary** SEIAA - (MAHARASHTRA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

#### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/414775/2023 Environment & Climate Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

To M/s. Enerrgia Skyi Ventures LLP, Gat.No.215 (P), 217 (P), 218, 219, 220, 221, 222, 223, 224 (P), 293, 294 (P) at Village Bhukum, Taluka Mulshi District Pune.

Subject

: Environment Clearance for Expansion in Proposed Residential & Commercial Project "Skyi Manas Lake―, at Gat.No.215 (P), 217 (P), 218, 219, 220, 221, 222, 223, 224 (P), 293, 294 (P) at Village Bhukum, Taluka Mulshi District Pune by M/s. Enerrgia Skyi Ventures LLP

Reference : Application no. SIA/MH/INFRA2/414775/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 166<sup>th</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 260<sup>th</sup> (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 08.05.2023.

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/INFRA2/4	14775/2023			
2.	Name of Project	Expansion in Environment Clearance for Proposed Residential & Commercial Project "Skyi Manas Lake", at Gat.No.215 (P), 217 (P), 218, 219, 220, 221, 222, 223, 224 (P), 293, 294 (P) at Village Bhukum, Taluka Mulshi District Pune by M/s. Energia Skyi Ventures LLP				
3.	Project category	8(a). B2 Building ar	nd Construction project			
4.	Type of Institution	Private				
		Name	Amit Anil Jagtap-Partner			
5.	Project Proponent	Regd. Office address	S.No. 274/1 & others, Skyi Songbirds, Four Season Road, Village Bhugaon, Taluka Mulshi, District Pune- 412115			
		Contact number	+91-9922969032			
		e-mail	ec.enerrgiaskyiventuresllp@gmail.com			
6.	Consultant	Vke: environmental	LLP			
7.	Applied for	Expansion in Enviro	onment Clearance			
8.	Details of previous EC	Yes, EC received vide letter no. SEAC-III-2014/CR-160/TC-3 dated 12 <sup>th</sup> July 2016				
9.	Location of the project	Gat.No.215 (P), 217 (P), 218, 219, 220, 221, 222, 223, 224 (P), 293, 294 (P) at Village Bhukum, Taluka Mulshi District Pune				
10.	Latitude and Longitude	Latitude: 18°29'36.66"N Longitude: 73°43'30.60"E				
11.	Total Plot Area (Sq.m)	75,085.00				

12.	Deductions (	Sq.m)	4,669.9	5				
13.	Net Plot area		59,852.					
14.	Proposed FS		79,023.	37				
15.	<del></del>	n-FSI area (Sq.m)	66,910.	05				
16.	Proposed TB		1,45,93	3.42				
17.	TBUA (m2)	approved by		-			,	
17.	Planning Au	g Authority till date						
18.	Ground cove	erage (m2) & %	24,887.	14 (33%)				
19.	Total Project		Rs. 198	Cr.				
20.	CER as per I							
20.	circular date			<u> </u>	· · · · · · · · · · · · · · · · · · ·			
		uilding Configuration					Reason for	
		following legends:					Modification /	
-		nd = LG, Upper Gr		Basement	= B, Snops $= Sn > 0$	• • • • • • • • • • • • • • • • • • •	Change	
21.		EC / Existing Bui			osed Connguration		Remark	
	Building Name	Configuration	Height (m)	Building Name	Configuration	Height (m)		
	1	Stilt+Podium+12 (Shops attached	38.95	1	Stilt+Podium+1 2 (Shops	38.95	No Change	
		at stilt Level)			attached at stilt Level)			
	2	Stilt+Podium+12	38.95	2	Stilt+Podium+1	38.95	No Change	
	3	Stilt+Podium+12	38.95	3	Stilt+Podium+1	38.95	No Change	
	4	Stilt+Podium+14 (Shops attached at stilt Level)	44.99	4	Stilt+Podium+1 4 (Shops attached at stilt Level)	44.99	No Change	
	5	Stilt+Podium+14	44.99	5	Stilt+Podium+1	44.99	No Change	
	_	Stilt+Podium+14	11.00	6	Stilt+Podium+1	40.20	Split in two building & decrease	
	6	(Two Wings)	44.99	7	Stilt+Podium+1	40.20	in floors	
	8	Stilt+U.G+14	44.99	8	Stilt+U.G.+10	33.39	Number of Floors decreased	
	Club House	G+1	7.65	Club House	G+1	7.65	Floor Plan Changed	
	7	Stilt+P+14	44.99	9	Stilt+15	44.90	Change in Name & building Configuration	
				11	Stilt+Podium+1	40.90	Newly proposed	
				12	Stilt+Podium+1	40.90	Newly proposed	
				Amenity Building 1	G+5	17.85	Newly proposed	
	Total number	er of tenements		ential- 1158 percial- 160				

22.	m . 1		Total Population- 6,188 nos Residential- 5790 nos of persons					
	Total population							
			nercial- 398			<del> </del>		
		Dry Season (CMD) Wet Season (CMD)						
		Fresh Water		531	Fresh Water	531		
		Recycled water		269	Recycled water Flushing	269		
23.	Water Budget	Swimming Powater	ool make up	10	Swimming Pool make up water	10		
		Recycled water Gardening	er	118	Recycled water - Gardening	00		
		Total		928	Total	810		
		Wastewater ge	eneration	720	Wastewater generation	720		
24. 25.	Water Storage Capacity for Firefighting / UGT Source of water	Fire tank capa	city of Propo city of Propo city of OHT- city of OHT-	sed UGW sed UGW · 25 KLD 20 KLD	T- 150 KLD T for Amenity Building - 50 for each building & for Amenity Building	KLD		
	Rainwater Harvesting	Level of the C		Pre-Mo	onsoon- 12 to 15 M Avg BGL			
26.	(RWH)	table: Size and no of	рудт		lonsoon- 8 to 10 M Avg BGL			
		Y 10 10 10 10 10 10 10 10 10 10 10 10 10		Not ap	plicable			
		tank(s) and Quantity:						
		Quantity and size of recharge pits:		18 Nos. Pits (10 Nos. on Surface & 8 Nos. on Rooftop) Recharge pits of 2 m x 2 m x 2.5 m				
		Details of UGT tanks if any:		NA				
		Sewage gener CMD:	ation in	720 KI	D			
27.	Sewage and	STP technology:		MBBR				
	Wastewater	Capacity of S	Capacity of STP (CMD): Total- 7 KLD)		730 KLD (Existing-560 KLD	& 170		
	Call d Wards	Type	Quantity (kg/d)		Treatment / disposal			
	Solid Waste	Dry waste:	12	Will be	handed over to Authorized v	endor		
28.	Management during	Wet waste:	08	Will be	e handed over to Authorized ve	endor		
}	Construction Phase	Construction waste	Construction The construction waste generated during construct					
		Type	Quantity (kg/d)		Treatment / disposal			
		Dry waste:	1,218	Will be	handed over to SWACH			
		Wet waste:	1,777	Will be	operated in OWC			
29.	Solid Waste Management during	Hazardous waste:	NA	NA				
	Operation Phase	Biomedical waste	NA	NA				
		E-Waste	17	Will be	handed over to authorized ve	ndor		
		STP Sludge (dry)	109		e operated in OWC			
		Total RG area	(Sq.m):	7041.50 (10% of Gross Plot area)				
		Existing trees	<del></del>	189				

		Number of trees to be planted:	880				
30.	Green Belt	Number of trees to be c	ut: NA				
	Development	Number of trees to be transplanted:	NA				
		Source of power supply	: MSEDCL				
		During Construction Pl (Demand Load):					
		During Operation phase (Connected load):	6408.32 kW				
31.	Power	During Operation phase (Demand load):	3015.17 kW				
	requirement:	Transformer:	5 X 630 kVA, 1 X 315 kV	Ά			
		DG set (During	1 X 40 kVA	A.			
1 1		Construction):	TA TORVA				
		DG set (During Operation):	1 X 250 kVA, 1 X 200 kV	A			
-		Fuel used:	HSD				
32.	Details of Energy saving	Total Energy Savings - 150 KW- 5.1% of total		Г			
33	Environmental Management plan	Type	<b>Details</b>	One time Cost	Annual Cost		
	budget during		Erosion control- Dust				
	Construction phase		Suppression with Periodic		86,400.00		
			Water Sprinkling	0.0000			
1 1		Air Environment	Barricading	3,30,000			
			Cost of Topsoil Conservation,				
			including removal of topsoil using Scrapper/JCB and	7,46,600			
			Storage in designated area				
			Establishment of Labour		- 1		
		Land	Colony and Labour Colony	6,25,000	59 <u></u>		
			Toilets & Sanitation		ē.		
			Labour Colony Maintenance -				
			Cleaning of Waste, Periodic				
			disinfection by pest control		6,30,000		
			measures & health checkup of				
			labours	Sec. 1			
			Labour Colony Water Supply, including Establishment of				
			Water storage tank and		6,82,500		
		Health and Safety	maintenance of area around it				
			Labour Safety, including				
		, in the second	provision of safety equipment				
			& tools such as belts, helmets,				
			dust masks, noise muffs etc, as		6,00,000		
			per requirements of Safety				
			Laws pertaining to				
			Construction Sites		7.26.000		
		Environmental	Environmental Monitoring		7,36,800		
		Environment Management	Environmental Monitoring cell		8,88,000		
1		ivianagement	Cen		L		

		DG Set		Cost of Electricity Backup with DG sets			5,50,000	
		Component		D	etails	Capital In RS	O& (Rs.	
		Sewage treatment		MBBR		1,38,00,00	34,00	),000
		Solid Waste	;	OWC		42,25,000	10,61	,382
	Environmental	RWH	<del></del>	Rechar	ge Pits	59,00,000	1,77	,000
34.	Environmental Management plan Budget during Operation phase	Green belt development		Development & maintenance of green area 1,95,42.10		1,95,42.10 0	4,72	,800
		Energy saving			Solar Panel + 1,35,20,00 Solar Hot Water 0		5,00	,000
		Environmental Monitoring		•			3,19	,200
		Disaster Ma	nagement	Lighter Arreste	110	18,50,000		· <b>-</b>
35.	Traffic	Туре	Required DC			Area p	er parking	g (Sq.m)
33.	Management	4-Wheeler	525	5	842			
		2-Wheeler	179	6	1796		26,370	
36.	Details of Court cases / litigations w.r.t. the project and project location if any.	No court cas	ses against	project/la	and as inforr	ned by Proje	ect proponer	nt.

# Comparative statement for the project building configuration-

Sr. No.	Project Details	As per EC Received dated 12th July 2016	Proposed Expansion	Remarks
1 ;	Survey Nos.	Gat. No. 215 (P), 217, 218, 219, 220, 221, 222, 223, 224 (P), 293, 294(P)	Gat. No. 215 (P), <b>217</b> (P), 218, 219, 220, 221, 222, 223, 224 (P), 293, <b>294</b> (P)	Gat no. 217 Reduced & 294 Part added
2	Plot Area (Sq.m)	75,510.00	75,085.00	Decrease by 425 Sq.m
3	Proposed FSI Area (Sq.m)	65,151.52	79,023.37	Increase by 13,871.85 sq.m
4	Non FSI Area (Sq.m)	52,593.55	66,910.05	Increase by 14,316.5 sq.m
5	Total BUA Area (Sq.m)	1,17,745.07	1,45,933.42	Increase by 28,188.35 sq.m

As per EC Received dated 12 <sup>th</sup> July 2016			Proposed Expansion			Remark
Building Name	Configuration	Heigh t	Building Name	Configuration	Height	
1	Stilt+Podium+12 (Shops attached at stiltLevel)	38.95	1	Stilt+Podium+ 1 2 (Shops attached at stilt Level)	38.95	No Change

2	Stilt+Podium+12	38.95	2	Stilt+Podium+12	38.95	No Change
3	Stilt+Podium+12	38.95	3	Stilt+Podium+12	38.95	No Change
4	Stilt+Podium+14 (Shops attached at stiltLevel)	44.99	4	Stilt+Podium+ 1 4 (Shops attached at stilt Level)	44.99	No Change
5	Stilt+Podium+14	44.99	5	Stilt+Podium+14	44.99	No Change
6	Stilt+Podium+14 (Two Wings)	44.99	7	Stilt+Podium+12 Stilt+Podium+12	40.20	Split in two buildings &
					40.20	decrease in floors
8	Stilt+U.G+14	44.99	8	Stilt+U.G.+10	33.39	Decrease in floors
Club House	G+1	7.65	Club House	G+1	7.65	Location & Floor plan changes
7	Stilt+P+14	44.99	9	Stilt+15	44.90	Change in Name & configuration
			-11	Stilt+Podium+12	40.90	Newly proposed
			12	Stilt+Podium+12	40.90	Newly proposed
			Amenity Building1	G+5	17.85	Newly proposed

Project Details	As per EC Received dated 12 <sup>th</sup> July 2016	Proposed Expansion	Remark
Survey Numbers	Gat. No. 215 (P), 217, 218, 219, 220, 221, 222, 223, 224 (P), 293, 294(P)	Gat. No. 215 (P), 217 (P), 218, 219, 220, 221, 222, 223, 224 (P), 293, 294(P)	217 Part Reduced & 294 Parts added
Plot Area	75,510.00 sq. m	75,085.00 sq. m	Decrease by 425 Sq. m
Proposed FSI Area	65,151.52 sq. m	79,023.37 sq. m	Increase by 13,871.85 sq. m
Non FSI Area	52,593.55 sq. m	66,910.05 sq. m	Increase by 14,316.5 sq. m
Total BUA Area	1,17,745.07 Sq. m	1,45,933.42 Sq. m	Increase by 28,188.35 sq. m
Ground coverage	22,555.14 sq. m	24,887.14 sq. m	Increase by 2,332 sq. m
Maximum height of Building	44.99 m	44.99 m	Remain Same
Project Cost	160 Cr	198 Cr	Increase by 38 Cr.

NT C1 /	Residential- 855 Nos	Residential-	Increase
No. of tenements/	of flat Commercial-	1158 Nos of flat	Residential
shops	13 Nos of shop	Commercial-	303 flats &
		160 Nos of	Commercial
		shop	147 shops
Population	Total Population- 4,305 Nos • Residential- 4,275 • Commercial- 30	Total Population- 6,188 Nos • Residential- 5790 • Commercial- 398	Increase Residential users 1515 Nos & Commercial users 368 Nos
Fresh Water Requirement	385 KLD	531 KLD	Increase by 146 KLD
Sewage Generation	519.4 KLD	720 KLD	Increase by 200.6 KLD
STP Capacity	560 KLD	725 KLD (560 KLD +	Increase by 165 KLD
		165 KLD)	
Solid waste Generation kg/d	Wet waste: 1,157.25 kg/day Dry waste: 775.5 kg/day	Wet waste: 1,777 kg/d Dry waste: 1,218 kg/d	Wet Waste Increase by 1,619.75 kg/d Dry Waste Increase by 442.5 kg/d
Power supply	Connected load: 4820.10 KWDemand load: 3848.00 KW	Connected load: 6408.32 kWDemand load: 3015.17 Kw	Connected load increase: 1,588.22 kWDemand load decrease: 832.83 Kw
No. of DG Sets	1 X 250 kVA, 1 X 200 kVA	1 X 250 kVA, 2 X 200 kVA	Increase by 1
No. of Transformer	8 X 630 kVA	5 X 630 kVA, 1 X 315 kVA	Decrease due to change in Diversity factor

3. The proposal has been considered by SEIAA in its 260<sup>th</sup> (Day-3) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

#### **Specific Conditions:**

#### A. SEAC Conditions-

- 1. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
- 2. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

# **B. SEIAA Conditions-**

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.

4. SEIAA after deliberation decided to grant EC for – FSI- 79,023.37 m2, Non FSI- 66,909.95 m2, Total BUA- 1,45,933.32 m2. (Plan approval No-Outward no 524, dated-14.03.2023) (Restricted as per approval)

#### **General Conditions:**

# a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle

- shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

#### B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
  - V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including

- selection of plant species and in consultation with the local DFO/Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

#### C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to

- assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act:
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

# Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation /PMRDA
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.